Back To Chiropractic CE Seminars Hx & Exam Wrist & Elbow ~ 2 Hours

Welcome to Back To Chiropractic Online CE exams:

This course counts toward your California Board of Chiropractic Examiners CE. (also accepted in other states, check our website or with your Chiropractic State Board)

The California Board requires that you complete all of your CE hours BEFORE the end of your Birthday month. We recommend that you send your chiropractic license renewal form and fee in early to avoid any issues.

COPYRIGHT WARNING

The copyright law of the United States (Title 17, United States Code) governs the making of photocopies or other reproductions of copyrighted material. Under certain conditions specified in the law, libraries and archives are authorized to furnish a photocopy or other reproduction. One of these specified conditions is that the photocopy or reproduction is not to be "used for any purpose other than private study, scholarship, or research." If a user makes a request for, or later uses, a photocopy or reproduction for purposes in excess of "fair use," that user may be liable for copyright infringement. This site reserves the right to refuse to accept a copying order if, in its judgment, fulfillment of the order would involve violation of the copyright law.

Exam Process: Read all instructions before starting!

- 1. You must register/pay first. If you haven't, please return to: backtochiropractic.net
- 2. Open a new window or a new internet tab & drag it so it's side-by-side next to this page.
- 3. On the new window or new tab you just opened, go to: <u>backtochiropractic.net</u> website.
- 4. Go directly to the Online section. DON'T register again.
- 5. Click on the Exam for the course you want to take. No passwords needed.
- 6. Follow the Exam instructions.
- 7. Upon passing exam, you'll be able to immediately download your certificate, and it'll also be emailed to you. If you don't pass, you must repeat the exam.

Please retain the certificate for 5 years. DON'T send it to the state board. If you get audited and lose your records, I'll have a copy.

I'm always a phone call away... 707.972.0047 or email: marcusstrutzdc@gmail.com

Marcus Strutz, DC Back To Chiropractic CE Seminars

History and Examination: Wrist and Elbow



Instructor: Dr. Richard D. Belsky, DC, CCSP

Course Objectives

- The course will instruct the chiropractor to perform a thorough consultation and examination of the wrist & elbow to properly diagnose common wrist & elbow conditions.
- The course will focus on the logical thought process of history taking, physical examination procedures and accurate documentation.
- The chiropractor will gain an understanding of how to ask pertinent questions to determine a diagnosis as well as performing a detailed wrist and elbow examination.

Course Objectives

- The chiropractor will also gain improved knowledge of recognizing when and where to refer the patient.
- A discussion of the doctor-patient relationship, documentation and informed consent will also be covered.

History & Examination of the Wrist and Elbow

- Doctor-Patient Relationship
- Patient Mind-Set
- Consultation / Patient History
- Examination of the Wrist and Elbow
- Conclusions from History & Examination
- Referral for imaging / orthopedic consult
- Documentation

Doctor-Patient Relationship

- Greeting & Introduction
- Establish a relaxed atmosphere
- Explain the Initial Office Visit



Informed Consent


Greeting & Introduction

- Staff should greet and welcome and acknowledge patient immediately (even if on telephone)
- Be sure to have a clean, well organized reception area with enough seating



Greeting & Introduction

- ▶ Be on time, do not make the new patient wait
- Review all the paperwork & initial each page
- Introduce yourself, acknowledge that you read over all the paperwork & ask the patient to tell you about their pain / problem



Establish a relaxed atmosphere

- Tell the patient about your practice and your experience with their injury, condition and pain
- Briefly explain what is going to take place during this initial office visit



Establish a relaxed atmosphere

- Make sure they are comfortable either sitting, standing or laying
- Be sure to ask if this is their first time to visit a chiropractor
- If it is not, then ask them about their prior experiences and treatment

Establish a relaxed atmosphere

- Listen to what the patient tells you about their previous chiropractic experience
- If your practice is different than the patient's prior chiropractic care, then briefly explain how your method can help them
- This will help you to meet their expectations

CLOSE TO HOME



"I need to have you just relax and trust me on this, Mrs. Hostrander."

Explain the Initial Office Visit

- If the patient had no previous chiropractic care, then you will need to explain what chiropractic care is and how it will help
- Prepare a brief explanation of the benefits of chiropractic care – more explanation later
- Include a brief discussion about wellness care and prevention as well as pain reduction



Informed Consent


- Before continuing with the medical history, you should obtain informed consent from the patient
- You should review with them what they had signed in the paperwork & explain that as with all medical care, the patient needs to be informed of the associated risks involved
- Informed Consent permission granted in the knowledge of the possible consequences, typically that which is given by a patient to a doctor for treatment with full knowledge of the possible risks and benefits

Informed Consent

§319.1. Informed Consent - California Rules and Regulations

A licensed doctor of chiropractic shall verbally and in writing inform each patient of the material risks of proposed care. "Material" shall be defined as a procedure inherently involving known risk of serious bodily harm. The chiropractor shall obtain the patient's written informed consent prior to initiating clinical care. The signed written consent shall become part of the patient's record.

- Fear
- Depression
- Anxiety
- Expectations



Understanding the mindset of your patient will help you to facilitate their recovery

- The patient will present to you with a problem that they need to have resolved
- This problem may be new or may have been persisting for months
- This problem may also be associated with fear, depression, anxiety and expectations

The Patient Mindset - Fear

- Patients are afraid of the unknown
- They typically will think of the worst case scenario
- They worry if they will be pain free again and if they can return to their activity, work or sport
- The fear of the unknown amplifies the pain
- If they are in a lot of pain, they are afraid that the treatment will cause them greater pain

The Patient Mindset - Depression



- The patient may also be upset when they can not participate in their activity, sport or job
- If the problem has been persisting for over a month, the patient may feel hopeless
- They may have seen other doctors who were not able to help them

The Patient Mindset - Anxiety

- The patient may be worry about provoking or aggravating the pain
- They may be afraid that the pain will increase
- The patient may avoid all activity




The Patient Mindset - Expectations

- Patients may not know what to expect
- Patients may present with unreasonable expectations
 - They may expect to be "fixed" immediately, after one adjustment
 - They may expect to return to playing their sport after one or two treatments



- Help the patient to feel at ease
 - Introduce yourself & provide a brief explanation of how chiropractic care can help to improve function, speed healing/recovery and benefit health
 - Tell them about what is going to take place during the initial visit and what treatment will be administered
 - Assure them that you will refer them to the proper practitioner if they do not respond to your treatment

- Patients may present demanding a certain treatment, self-diagnosing their condition and telling you that they do not need an examination
- Patients may present quiet and not know how to describe their pain/condition/injury
- Patients may tell you way too much information



"I already diagnosed myself on the Internet. I'm only here for a second opinion."

- Listen and re-direct the patient during the past history, guiding them to what is relevant
- Syphon through the history for pertinent information
- Direct the patient to stay on topic
- Help to ease their fear, depression and anxiety by listening to their history and acknowledge that you will help them with your treatment or with a referral to the right practitioner

Seeing the whole patient...not just the wrist & elbow





- It is important to see the whole forest and not just the trees
 - Observing your patient's posture may have helpful insight about the elbow & wrist
 - Postural misalignment will affect wrist & elbow recovery
 - Postural alignment of the shoulders, scapulae, cervical and thoracic regions influence the wrist and elbow

History Taking



- When you hear hoof-beats, think horses not zebras
 - Use logical thinking when listening to the patient's history and don't focus on rare conditions until common conditions have been ruled out
- Logical thinking –during the patient's history
 - The process in which one uses reasoning consistently to come to a conclusion. Problems or situations that involve logical thinking call for structure, for relationships between facts, and for chains of reasoning that make sense

History Taking for the Wrist and Elbow

- Good history taking for wrist and elbow pain can lead you to making the correct diagnosis
- Taking a good history for wrist and elbow pain, you should consider:
 - age
 - activity level
 - body morphology
 - previous wrist or elbow injuries / surgeries
 - gender

History Taking for the Wrist & Elbow – Factors

Age – teens who are in a growth spurt are more prone to tendonitis & seniors may have osteoarthritis & degeneration



Activity - repetitive motions, racket / stick / bat sports and throwing sports contribute to tendon & ligament injuries




History Taking for the Wrist & Elbow – Factors

- Work ergonomics jobs with repetitive actions increase the risk of injury
- Previous injuries/surgeries aggravation of prior injury or a compensatory injury
- Gender bone density decreases in older females

History Taking - S.O.C.R.A.T.E.S.

- S site Where is the pain?
- O onset When did the pain start?
- C character What is the pain like?
- R radiation Does the pain radiate?
- A alleviating What reduces the symptoms?
- T timing Does the pain follow any pattern?
- E exacerbating What aggravates the pain?
- S severity / social How bad is the pain?



History Taking for the WRIST & ELBOW - Site

- Ask the patient to point to the pain site
 - Dorsal wrist
 - Ventral wrist
 - Cubital fossa
 - Olecranon
 - Medial wrist/elbow
 - Lateral wrist/elbow
 - Dorsal forearm
 - Ventral forearm



History Taking for the WRIST & ELBOW - Onset

- When did the pain / symptoms start?
 - After or during activity?
 - Tendonitis vs sprain/strain
 - Overuse injury
- Is the pain a result of an accident?
 - What is the mechanism of injury?
 - · Trauma -think fracture, ligament tear, muscle tear
 - What exactly happened during the accident / injury?
- Did the pain come on gradually?
 - Tendonitis, repetitive stress injury, arthritis
- Was the pain or symptoms previously present?
 - Recurrence of an old injury

History Taking for the WRIST & ELBOW - Character

- Describe the pain ask the patient to describe the pain – if they have trouble, you can give them some words of description:
 - Sharp
 - Dull
 - Burning
 - Tight
 - Stabbing
 - Cramping
 - Numb
 - Tingling



History Taking for the WRIST & ELBOW - Radiation

- Does the pain stay localized or does it radiate?
- Where does the symptoms radiate?
- Along a dermatome pathway?
 - Possible nerve injury / compression
- Diffuse, general radiation?
 - Possible muscle injury
- Is the radiation is **neuropathic** along a nerve pathway (dermatome) that may represent nerve compression
- Is the radiation following a muscular pain pattern from a trigger point in the muscle

History Taking for the WRIST & ELBOW - Alleviating

- What reduces the symptoms?
- Which medications help?
 - NSAIDs reduce inflammation
- What positions or movements help?
 - Help to determine cartilage, tendon or ligament injury
- Is there pain / symptoms at night or at rest?
 - Possible fracture
- Are there any associating symptoms?

History Taking for the WRIST & ELBOW - Timing

- When does the pain come on?
 - Does it follow a pattern?
- Is the pain:
 - Acute onset less than 3 months
 - Chronic onset greater than 3 months
- Is the pain:
 - Constant present 100%
 - Frequent present 75%
 - Intermittent present 50%
 - Occasional present 25%

History Taking for the WRIST & ELBOW-Exacerbating

- What makes the pain worse?
- Which positions/motions/activities provoke pain?
 - · Cartilage and ligament injuries will limit motion
 - Pain thru the full range suggests tendon injury
 - Certain positions may elicit the pain/symptoms
- How long into doing an activity until the pain starts?
 - Tendonitis can have a delayed onset in the activity
 - Sprain will hurt immediately in the activity
- Is this activity necessary or important?
 - Can the patient stop this activity to allow time to heal

History Taking for the WRIST & ELBOW - Severity

- How severe is the pain?
- Patients may over or under state their pain level so the practitioner should also rate the pain



- ▶ Use the pain analog scale 0-10
 - Have the patient to rate their pain where 0 is no pain & 10 is maximal severe pain
 - The practitioner should rate and describe the pain

History Taking for the WRIST & ELBOW- Social

- It is also good practice to gather additional information aside from the wrist/elbow condition
- Social factors include:
 - Marriage/single/children
 - Living arrangement
 - Dietary habits
 - Smoking/alcohol/illicit drug use
- Understanding this information may benefit you to further help the patient

History Taking for the WRIST & ELBOW – Mechanism of Injury

The specific mechanism of injury can help to determine the precise structures injured

Sudden onset:

- Gripping/twisting: wrist/elbow sprain/strain, tendonitis
- Impact from falling: fracture, sprain/strain, tendonitis

Gradual onset:

 Overuse / Repetitive trauma: carpal tunnel syndrome, osteoarthritis, degenerative joint disease, tendonitis, bursitis

Mechanism of Injury: Sudden onset Wrist Fractures

- Colle's fracture fall with wrist in extension
- Smith fracture fall with wrist in flexion
- Scaphoid fracture fall onto outstretched hand








Mechanism of Injury: Sudden onset Elbow Fractures

- Radial neck/head Fracture fall onto the outstretched arm with a valgus stress or flexed elbow
- Olecranon Fracture fall or direct trauma to the elbow



Radial neck/head fx

Anatomy


 The subcutaneous position of olecranon makes it vulnerable to direct trauma.



Olecranon fx

Mechanism of Injury: Sudden onset Sprains/Dislocations

- Falls: The position of the wrist or elbow during impact will determine which structures are injured – sprained or dislocated
 - Carpal Ligaments
 - Triangular Fibrocartilage Complex
 - Medial or Lateral Collateral Ligaments of the elbow
 - Radial head dislocation
 - Elbow dislocation



Mechanism of Injury: Sudden onset Tendonitis

- Gripping activities
 - Tennis
 - Baseball
 - Field hockey
 - Hockey
 - Racquetball
 - Lacrosse
 - Hammering
 - Utilizing tools




Mechanism of Injury: Gradual onset Tendonitis

- Overuse / Repetitive Trauma
 - Typing
 - Using the mouse
 - Working with hand tools
 - Lifting, carrying, holding
 - Sweeping / cleaning
 - Unilateral sports motions
 - Arthritis/ DJD



Anatomy of the Wrist



The bones of the wrist:


- ▶ 5 metacarpals
- ▶ Trapezoid
- ▶ Trapezium
- ▶ Scaphoid
- ▶ Lunate
- ▶ Triquetral
- **▶** Pisiform
- > Hamate
- ▶ Ulna & Radius

Anatomy of the Wrist

The bones are connected together by ligaments


At the ulnar side, there is the TFCC (triangular fibrocartilage complex) which is an important


stabilizer of the wrist



Anatomy of the Wrist

- The wrist, being made up of many bones, allows for complex movements
- The wrist is vulnerable to injuries due to the small bones and ligament connections without much muscular protection
- The wrist moves in flexion 80°, extension 70°, ulnar deviation 30° and radial deviation 20°
- The major muscles of the wrist are flexor carpi radialis / ulnaris and extensors carpi radialis / ulnaris







Anatomy of the Elbow

- The bones consist of the humerus, radius & ulna
- The elbow is a hinge joint and is a first-class lever with extension & a thirdclass lever with flexion
- Ulnar & radial collateral ligaments are important for elbow stability
- Annular ligament supports the radial head






Anatomy of the Elbow



- The elbow moves in flexion 135°-150°, extension 0°, pronation 90° and supination 90°
- The primary muscles are biceps, triceps, brachialis & brachioradialis
- The olecranon bursa is important for flexion & extension motion

Function of the Wrist and Elbow

- The wrist & elbow perform variable movements that enable the fine motor skills of the hand
- The wrist & elbow function as lever mechanisms which increase strength for pushing, pulling and lifting
- The elbow allows for extension and flexion of the arm to reach for objects and bring them to the body
- The wrist & elbow are very versatile and can perform flexion, extension, pronation, supination, radial deviation & ulnar deviation
- The wrist & elbow are susceptible to traumatic injury from falls as they protect the body & from repetitive use causing arthritis & tendonitis



Examination of the Wrist & Elbow

- Inspection
- Palpation
- Range of motion
- Joint stability tests
- Muscle tests
- Neurologic exam
- Special tests



Inspection of the Wrist & Elbow

- Observe standing posture
 - -antalgic position
 - -carrying angle

cubitus valgus - stress lateral epicondyle cubitus varus - results from prior trauma

- Observe for swelling or a mass (swollen bursa)
- Observe for redness
- Observe for guarding holding the wrist or elbow with the other hand for protection

Palpation of the Wrist & Elbow

- Bony palpation all over the lateral epicondyle, olecranon fossa, medial epicondyle, olecranon, cubital fossa and ulnar groove (for ulnar nerve)
- Bony palpation over carpal bones, ulnar styloid and radial styloid
- Check for tender sites over ligaments or tendon insertions
- Soft tissue palpation around the wrist & elbow

 inflammation, tenderness, warmth

Range of Motion



- Active range of motion have the patient move the wrist & elbow – noting range and pain
- Passive range of motion the patient may be apprehensive

 assure the patient that you will stop when they tell you to
 note any difference of range between passive and active ranges
- Wrist: flexion 80°, extension 70°, ulnar deviation 30° and radial deviation 20°
- Elbow: 135°-150°, extension 0°, pronation & supination 90°

Joint Stability Tests

- Ulnar Collateral ligament: apply medial (valgus) stress to the elbow joint- at 0° and at 30° flexion
- ➤ Radial Collateral Ligament: apply lateral (varus) stress to the elbow joint at 0° and at 30° flexion






▶ TFCC: palpate and passively move the wrist into radial deviation

These tests check for instability and pain. If there is laxity, suspect a sprain or possible tear.

Muscle Tests

Resistance testing of muscles will provide useful information – if there is pain in the muscle or tendon with weakness, suspect a muscle strain or tendonitis







wrist flexors



biceps



brachioradialis



supinator



pronator


 To test a muscle, position it halfway to full in it's range - have patient hold that position against resistance

Neurologic Testing

- Biceps Reflex: checking the C5 nerve
- Brachioradialis Reflex: checking the C6 nerve
- Triceps Reflex: checking the C7 nerve

Dermatomal testing: checking C5-T1 levels

- Motor testing: C5-T1 levels
- Rule out a neurological issue




Review history for possible gout & rheumatoid arthritis

Special Tests

- Functional Tests a) moving the wrist & elbow thru the motion of the activity b) performing a wall push-up or regular push-up – positive signs are pain & inability
- Ligament Stability Tests a) assessing the elbow for ulnar & radial collateral stability positive signs are laxity &/or pain b) assessing carpal bones for instability
- Tinel's Sign Elbow- tapping the ulnar groove positive sign is tingling down the forearm, possible entrapment of the ulnar nerve or a neuroma
- Cozen's Test for Tennis Elbow have patient make a fist & extend wrist, then have patient resist positive test will reproduce lateral pain (see diagram)
- Mill's Test for Tennis Elbow passively flex the wrist and extend the elbow – positive test is reproduction of lateral elbow pain
- Finkelstein's Test have the patient make a fist with the thumb inside, then ulnar deviate - positive test produces pain at the radial side of the wrist - de Quervain's tenosynovitis (see diagram)







Special Tests

- Prayer Test have the patient place hands together in a prayer position, after 30+ seconds the patient reports reproduction of symptoms of tingling / numbness
- Phalen's Test have patient place hands in a reverse prayer position, after 30+ seconds the patient reports reproduction of symptoms of tingling / numbness
- Tinel's Sign Wrist have patient slightly extend wrist while tapping over the anterior wrist, positive sign is reproduction of tingling symptoms in the hand

Phalen's test





Formulating a DIAGNOSIS


- Utilize all of S.O.C.R.A.T.E.S.
- Consider the following factors:
 - Age
 - Activity level
 - Prior occurrence
 - Mechanism of injury
- Combine history information with exam results

Conclusions from History & Exam: SITE

- Medial wrist: TFCC sprain
- Lateral wrist: Tenosynovitis, sprain
- Anterior wrist: Carpal Tunnel Syndrome, strain
- Posterior wrist: Sprain / strain, tendonitis
- Medial elbow: Sprain, ulnar impingement, golfer's elbow
- Lateral elbow: Sprain, tennis elbow
- Olecranon: Bursitis, fracture
- Cubital fossa: biceps strain, tendonitis

Conclusions from History & Exam: ONSET

- Immediate pain
 - an acute strain or sprain
- On going, persistent pain
 - overuse, tendonitis, bursitis
- Mechanism of injury
 - How the injury occurred
 - How the pain developed
 - Details are important




Conclusions from History & Exam: CHARACTER


- Sharp: muscle, tendon, ligament tear
- Dull: tendonitis, strain
- Burning: muscle, tendon tear
- Tight: muscle strain, ligament sprain
- Stabbing: muscle, ligament, nerve entrapment
- Cramping: muscle injury
- Numb: possible nerve injury / entrapment
- Tingling: possible nerve injury / entrapment

Conclusions from History & Exam: RADIATION Palm of Hand Front of Hand

- Radiating elbow pain: tennis/golfer's elbow tendonitis
- Radiation elbow (neuropathic): Ulnar nerve entrapment at ulnar groove; Radial nerve entrapment
- Radiation wrist (neuropathic): Median nerve entrapment at carpal tunnel
- Radiation along a muscular pain pattern: from a trigger point in the muscle
- Diffuse radiation: muscle/tendon/ligament injury; degeneration/arthritis flare up



Carpal Tunnel



Trigger point

Conclusions from History & Exam: ALLEVIATING

- If NSAIDs help the pain, then there is likely inflammation from an injury or a recurrence
- If the patient wants to maintain a certain pain free position of the wrist or elbow, then consider ligament injury or fracture
- If resting from activity reduces the pain, consider tendonitis or bursitis
- If there is minimal relief from medications, night pain, tenderness to palpation & significant pain with motion, consider fracture

Conclusions from History & Exam: TIMING

- Acute pain occurring less than 3 months
 - Tendonitis
 - Sprains / strains
 - Ligament tears
- Chronic pain occurring more than 3 months
 - Arthritis / degeneration joint disease
 - Ligament tears slight
 - Overuse tendonitis

Conclusions from History & Exam: EXACERBATING

- Pain thru the full range: tendonitis
- Pain with palpation: muscle strain, tendonitis, bursitis
- Pain with resistance testing: muscle strain, tendonitis
- Pain/symptoms performing provoking activity: tendonitis, strain, bursitis, nerve entrapment

Conclusions from History & Exam: SEVERITY

- Inability to move wrist/elbow: fracture; ligament injury; severe sprain
- Kids / young adults tend to overstate the pain
- Strains, sprains and severe tendonitis/bursitis will stop or markedly limit a patient from performing their sport / exercise /activity
- Nerve symptoms will limit the patient's ability to perform their work / exercise / sport activities

Conclusions from History & Exam

- Integrate the history with exam findings
 - Trauma + mechanism of injury + exam findings:
 - CONSIDER: sprain, strain, tendonitis, fracture
 - Gradual onset + mechanism + exam findings:
 - CONSIDER: tendonitis, arthritis, carpal tunnel syndrome, De Quervain's tenosynovitis, bursitis
 - Repetitive trauma + mechanism + exam findings:
 - CONSIDER: carpal tunnel syndrome, tendonitis, golfers elbow, tennis elbow, olecranon bursitis

Conclusions from History & Exam

- Mechanism of Injury
 - Will provide information as to which structure of wrist or elbow may be injured or damaged
 - Structure determines function
 - When there is a deficit with the structure, then there will be a deficit with the function



Conclusions from History & Exam

- Referral to an orthopedist
 - Severe pain
 - Inability to use hand or move wrist or elbow
 - Moderate to severe swelling
 - For evaluation and pain/anti-inflammation medication
- Age
 - Adults & seniors may have degenerative joint issues

Conclusions from History & Exam

Activity level

- Determining the extent of a wrist or elbow condition may relate to the activity level of the patient
 - Activities of daily living (ADLs) that involve repetitive motion
 - Repetitive motions with sports & exercise
 - may result in a more severe injury or condition
 - Degenerative joint disease maybe more advanced
 - Tendonitis / strains maybe more severe

Prior occurrence

- Recurrent injuries may have underlying tissue damage
- Imaging with x-ray or MRI is recommended

Formulating a DIAGNOSIS

- Combine the information from the history with the clinical exam findings
- Re-evaluation on follow up visits and adjust the diagnosis if necessary
- Base the diagnosis on the history, presenting signs & symptoms and objective examination results



Formulating a DIAGNOSIS

When to utilize imaging:

- Trauma
- Prior occurrence
- Chronic pain
- Non-traumatic pain







Formulating a DIAGNOSIS

X-ray or MRI

- X-ray is preferred for evaluating arthritis / degenerative joint disease and fractures
 - X-ray will show bone quality, osteophytes and joint space

- MRI is best to evaluate soft-tissue injuries, cartilage and ligamentous disruption
 - MRI can show edema, cartilage tears (TFCC), ligament tears as well as fractures and bone lesions

Formulating a DIAGNOSIS x-rays

- X-rays of the WRIST recommendations by the Official Disability Guidelines (Forearm, Wrist and Hand 2018):
- Acute hand or WRIST trauma
 - initial exam
 - suspect acute scaphoid fracture
 - suspect distal radioulnar joint subluxation
 - suspect hook of the hamate fracture
 - suspect metacarpal fracture or dislocation
 - suspect phalangeal fracture or dislocation
 - suspect gamekeeper injury (thumb MCP ulnar collateral ligament injury)
- Chronic wrist pain, first study with or without prior injury, no specific area of pain specified

Formulating a DIAGNOSIS x-rays

- X-rays of the Elbow recommendations by the Official Disability Guidelines (Elbow 2018):
 - Radiographs are required before other imaging studies and may be diagnostic for:
 - osteochondral fracture
 - osteochondritis dissecans
 - osteocartilaginous intra-articular body

Formulating a DIAGNOSIS MRI

- MRI of the WRIST recommendations by the Official Disability Guidelines (Forearm, Wrist and Hand 2018):
 - Acute hand or wrist trauma suspect:
 - acute distal radius fracture
 - acute scaphoid fracture with normal radiographs
 - suspect gamekeeper injury (thumb MCP ulnar collateral ligament injury)
 - Chronic wrist pain with plain films normal suspect:
 - soft tissue tumor
 - Chronic wrist pain may be diagnostic for triangular fibrocartilage complex (TFCC), ligament tears, occult fractures & avascular neurosis

Formulating a DIAGNOSIS MRI

- MRI of the ELBOW recommendations by the Official Disability Guidelines (Elbow 2018):
 - Elbow pain (acute) with plain films non-diagnostic suspect:
 - biceps tendon tear
 - bursitis
 - Chronic elbow pain with plain films non-diagnostic suspect:
 - intra-articular osteocartilaginous body
 - occult injury
 - unstable osteochondral injury
 - nerve entrapment
 - mass
 - chronic epicondylitis
 - collateral ligament tear

Referral for MRI

- Severe pain with inflammation
- Non-diagnostic plain films
- Suspect fracture or ligament tear



- Positive joint stability & cartilage tests
- Follow Official Disability Guidelines recommendations



Referral for orthopedic consultation is

recommended:

- Severe pain
- Patient shows great concern
- Moderate to severe swelling
- Limited ability to perform activities (ADLs)
- Limited ability to perform work duties
- Markedly positive with joint stability & special tests
- Patient reports instability with using wrist or elbow
- MRI shows tears of ligaments, cartilage or tendons



Referral for orthopedic consultation

- Establish a relationship with several different orthopedic groups / physicians
- Research on the internet and with the state board about the physician's credibility
 - Go to the medical board website to do a license search
 - For California: http://www.mbc.ca.gov/Breeze/License_Verification.aspx

Referral for orthopedic consultation

- Call their office to set up a meeting
 - Some offices may hesitate to schedule a meeting due to the physician's busy schedule or to avoid a sales person
 - State that you are want to refer your patients there for consultations /examinations
 - State that you would like a brief encounter
- Once you have met, then it will be easier to set up a follow-up meeting
 - The relationship may lead to the orthopedist referring patients to you

Referral vs Chiropractic summary

- MRI and orthopedic referral decision based on:
 - severity of pain
 - inability to perform activities of daily living (ADLs) or work duties
 - examination findings of:
 - instability
 - positive special tests
 - marked limitation of range
- Discuss the decision of referral with the patient & document that discussion
- Proceed with the appropriate chiropractic care, but upon each visit evaluate the progress
- If the patient is not responding, then follow thru with either a MRI or orthopedic referral


• California Rules and Regulations regarding records – Each licensed chiropractor is required to maintain all active and inactive chiropractic patient records for five years from the date of the doctor's last treatment of the patient unless state or federal laws require a longer period of retention



- Documenting the history in the form of S.O.C.R.A.T.E.S.
- Document exam findings with emphasis on positive or abnormal results
- Stay consistent with your forms so you can evaluate for improvement on follow up visits



- Keep your initial examination notes simple
 - Note the facts that relate to the injury/condition
 - Stick to S.O.C.R.A.T.E.S.
 - Note abnormal/positive examination findings
 - Note your rationale for the diagnosis
 - Note that informed consent was discussed



Documentation - Informed Consent

- It is recommended that you record a statement such as this on the initial paperwork
 - "I did discuss and inform the patient about the risks and complications that could arise regarding their condition, diagnosis and the proposed chiropractic treatment. Alternative treatments were also discussed. The patient gave me their verbal consent to initiate treatment. There is also an informed consent form signed by the patient in their file."

- Note your rationale for determining the diagnosis
 - A brief statement of clinical findings that correlates to the diagnosis
- Note your rationale for the treatment plan
 - A brief statement that summarizes short term goals and long term goals
 - The expected frequency and duration of care
 - Your expectations of the patient to the proposed care

Importance of the History and Examination

- Establish a rapport with the patient
- Allows you to find a way to help the patient heal and return to their exercise, sport and regular activities
- Allows you to develop a treatment plan



Importance of the History and Examination


- Formulating an accurate diagnosis to establish a treatment plan
 - Asking the right questions
 - Listening to the patient
 - Understanding the mechanism of injury
 - Correct interpretation of exam findings
 - Utilizing x-ray or MRI imaging
 - Integrating the history with the examination

Importance of the History and Examination

- A good history with proper interpretation of examination findings will lead to an accurate diagnosis
- An accurate diagnosis will facilitate the recovery of the patient
- The patient will be able to return to their activity, exercise or sport



- 62 year old male presents with lateral elbow pain
- Go thru S.O.C.R.A.T.E.S.



- Site: He points to his left lateral elbow and forearm regions.
- Onset: The pain comes on when he golfs. He is right hand dominant and golfs righty.
- Character: Sharp, achy, intense pain.
- Radiation: It stays at the lateral left elbow region.

- Alleviating: Stop golfing, Ibuprofen, ice, rest.
- Timing: It starts after about 5 to 10 swings and then by the 20th swing the pain is severe and sometimes has to stop golfing. This has been occurring for the past month. Never had this before.
- Exacerbating: Golfing, picking things up, holding pots/pans when cooking, grabbing things.
- Severity: Intense pain, has to stop golfing sometimes.
- ▶ Social: Plays golf 2-3x per week for the past 5 years. Plays with friends and really enjoys the friendly competition.


Examination:

- No swelling
- Pain with palpation to left lateral epicondyle & forearm
- Normal range of motion of the wrist, but painful flexion
- Normal range of motion of the elbow
- Normal stability tests
- Painful & weak wrist extensor resistance testing
- Painful & weak supinator resistance testing
- Normal neuro findings
- Positive Cozen's and Mill's tests

X-rays are not recommended Exam & history show no need for MRI or orthopedic referral



Lateral Epicondylitis (Tennis Elbow)



Golfer's elbow affects the medial epicondyle region of the dominant side with golfing. In this case, the non-dominant side was affected at the lateral elbow. So, even though the patient was a golfer, he had tennis elbow.

History and Examination: Wrist and Elbow

Thank you for participating in this course!



Dr. Richard D. Belsky, DC, CCSP

Thanks for taking CE Seminars with Back To Chiropractic. Use I hope you enjoyed the course. Please feel free to provide feedback.

Check out: Back To Chiropractic Resources

Free Materials: Notes & Forms hundreds of files ~ posters, newsletters & more

Services & Listings People helping people for free

Marcus Strutz DC

Back To Chiropractic CE Seminars

marcusstrutzdc@gmail.com

707.972.0047

